

Integrating Pinpoint with Omveo

Connecting Pinpoint to Omveo takes only a few steps. You will need administrator access to both your Pinpoint and Omveo accounts.

1. Activate the Pinpoint integration in Omveo

Open the customer's settings in Omveo and scroll to **ATS Integration**.

Turn the integration on, select **Pinpoint** as the ATS provider and copy the Webhook URL displayed by Omveo. You will add this URL to Pinpoint later in the setup process.

Edit customer ✕

Update the customer profile used across the platform.

Customer profile

Customer name

Demo Co Ltd

Industry **Location**

Technology London

LinkedIn Company ID

☐ Hide personal details

Customer logo

 [Replace logo](#) [Remove](#)

JPG, PNG, or WEBP • max 5MB

ATS Integration Yes

Credentials are write-only and never displayed after saving.

ATS provider

pinpoint

Pinpoint subdomain

acme .pinpointhq.com

API key **Webhook signing secret**

Not set Not set

☐ Connection enabled

Webhook URL (paste into Pinpoint)

<https://omveo.co.uk/api/integrations/pinpoint/webhook> [Copy](#)

[Save connection](#) [Test connection](#) [Run initial sync](#)

[Cancel](#) [Save changes](#)

2. Identify your Pinpoint subdomain

Your Pinpoint subdomain is the first part of your Pinpoint account URL.

For example, if your Pinpoint URL is: omveo-sandbox.pinpointhq.com

Your subdomain is: omveo-sandbox


3. Open Pinpoint's API and Webhook settings

In Pinpoint, navigate to: **Settings → API & Webhooks**

4. Enable the Pinpoint API

Open the **API Keys** tab and make sure the **Pinpoint API** toggle is enabled.

Select **Create New** to generate an API key for the Omveo integration.



5. Create the Omveo API key

Give the API key a recognisable name, such as: Omveo_Integration

Grant **Read** access to the information Omveo requires to synchronise jobs and candidates, including:

- Application
- Candidate
- Candidate Assessment
- Interview
- Hiring Workflow
- Job

Select **Create API Key** when the permissions have been configured.

Create API Key

Create API keys to allow access to data within Pinpoint.

ASSIGN ALL

Name

Provide a name for this API key.

API KEY NAME

NewApiKey_OmveoIntegration

Access Group

Select the permissions you would like to grant this API key to perform within Access Groups.

PERMISSIONS

None

Answer

Select the permissions you would like to grant this API key to perform within Answers.

PERMISSIONS

None

Application

Select the permissions you would like to grant this API key to perform within Applications.

PERMISSIONS

READ X

Background Check

Select the permissions you would like to grant this API key to perform within Background Checks.

PERMISSIONS

None

Candidate

Select the permissions you would like to grant this API key to perform within Candidates.

PERMISSIONS

READ X

Candidate Assessment

Select the permissions you would like to grant this API key to perform within Candidate Assessments.

PERMISSIONS

READ X


CANCEL

CREATE API KEY

Copy the API key when it is displayed. Pinpoint may only show the complete key once, so store it securely until it has been added to Omveo.


6. Create the Omveo webhook in Pinpoint

Open the **Webhooks** tab and select **New Webhook**.



Paste the Webhook URL copied from Omveo into the **Target URL** field and select **Create Webhook**.

Once created, the Omveo endpoint will appear in the webhook list.



7. Configure the webhook

Open the newly created webhook and copy its **Signing Secret**. This secret allows Omveo to verify that webhook notifications have genuinely been sent by Pinpoint.

Enable the events required by the Omveo integration, including:

- New application
- Application stage changed
- Application moved
- Applicant hired
- Job created
- Job updated
- Job deleted

The Omveo team can confirm the required event configuration during onboarding.

Webhook Endpoint



`https://omveo.co.uk/api/integrations/pinpoint/webhook`

ENABLED

EDIT

Signing Secret

[Learn more about webhook signing](#)

████████████████████

COPY

Events to send

New application	☒
Application stage changed	☒
Offer accepted	☒
Offer updated	☒
Applicant hired	☒
Document request accepted	☐
Application moved	☒
User created on company	☐
Job created	☒
Job updated	☒
Job deleted	☒
Onboarding workflow completed	☐
Onboarding completed	☒
Onboarding stage completed (v2)	☐
Talent Pipeline candidate created	☐
Requisition created	☐
Requisition approved	☐
Interview scheduled	☒
Background check completed	☐

8. Add the Pinpoint credentials to Omveo

Return to the customer's **ATS Integration** settings in Omveo and enter:

- The Pinpoint subdomain
- The Pinpoint API key
- The webhook signing secret

Turn on **Connection enabled**, then select **Save connection**.

Finally, select **Save changes** to save the customer settings.

For security, the API key and signing secret are write-only. Once saved, the complete credentials are never displayed again within Omveo.

Edit customer ✕

Update the customer profile used across the platform.

Customer profile

Customer name
Test Corp Ltd

Industry: Technology Location: London

LinkedIn Company ID

☐ Hide personal details

Customer logo
Replace logo Remove
JPG, PNG, or WEBP · max 5MB

ATS Integration Yes
Credentials are write-only and never displayed after saving.

ATS provider
pinpoint

Pinpoint subdomain
[Input your URL here e.g. omveo-sandbox] .pinpointhq.com

API key Webhook signing secret

☒ Connection enabled

Webhook URL (paste into Pinpoint)
https://omveo.co.uk/api/integrations/pinpoint/webhook Copy

Save connection Test connection Run initial sync

Cancel Save changes

9. Test the connection and run the initial synchronisation

Select **Test connection** to verify that Omveo can communicate with the customer's Pinpoint account.

Once the connection status shows **Connected**, select **Run initial sync**. Omveo will then begin importing the customer's available Pinpoint jobs and associated applicant information.

The connection panel also shows:

- The connected Pinpoint tenant
- When the connection was last tested
- When the most recent webhook was received
- When the most recent synchronisation completed

ATS Integration

Credentials are write-only and never displayed after saving.

pinpoint

Pinpoint subdomain

omveo-sandbox

.pinpointhq.com

API key

Webhook signing secret

.....

Saved — ends in enyo. Leave blank to keep.

Connection enabled

Webhook URL (paste into Pinpoint)

https://omveo.co.uk/api/integrations/pinpoint/webhook

Copy

Connection status

Connected

Connected Pinpoint tenant

omveo-sandbox.pinpointhq.com

Last tested

31/07/2026, 15:52:17

Last webhook received

31/07/2026, 16:02:46

Last sync

31/07/2026, 15:53:06

Save connection

Test connection

Run initial sync

The Omveo team will support customers through the initial configuration and verify that their jobs, candidates and recruitment stages are synchronising correctly.